PeopleLink

Video Collaboration
Simplified using **PeopleLink Unified Telepresence Plus (UTP+)**

PeopleLink UTP plus provides seamless Video Collaboration for everyone with its 4K ready capabilities to conduct next generation collaboration. It gives you the freedom to connect anyone, anywhere over any network. Join the conference right from your laptop, Boardroom or even while travelling, using a 3G data card. It has a Built-In H.323 gateway which connects to any hardware based legacy video conferencing device.

Seamless Multi-platform Interoperability :
Join Video meetings from your High end Boardroom or a mobile device even with basic home based broadband set up. Connect seamlessly with the existing hardware based legacy video conferencing equipments (H.323), all of them can come on to a common platform over a highly secure, reliable connection to achieve high quality video & content (H.239).

Investment Protection:
Now collaborate universally using UTP Plus for all your ad-hoc one to one / one to many, video chats, comprehensive data collaboration with all the participants (H.239) and connecting your room based hardware endpoints at the same time to protect your Investments made in the past on various solutions to achieve basic collaboration. With UTP Plus users can now protect their future Investments on technological advancements by seamlessly upgrading the same technology to a telepresence grade collaboration experience.

Inbuilt MCU Scalability:
Connect from 2 to 10,000+ locations into the same meeting & add locations in the multiple of ONE. with a continuous presence of 24 participants at one time.

Multi display Unified Telepresence:
UTP Plus licenses come with an option of transforming into an entire Telepresence suite. Its multi-camera & multi-display support gives Telepresence a whole new meaning. Users can now integrate up-to 16 display video wall to support each participant at 1080p resolutions. One can now have much affordable Immersive Telepresence experience with this revolutionary offering.

Built-in Digital Whiteboard:
Users are able to use the virtual whiteboard for real time annotations. The virtual whiteboard has the ability to support virtual highlighter, laser marker, etc. which further enhances the interactivity, taking visual collaboration to newer heights.

For more information visit www.peoplelinkvc.com

Technical Specifications | Data Sheet

Features

Digital White Board	: Yes
Document Sharing	: Yes
Desktop /Application Sharing	: Yes
Recording	: Yes
Voice Activated Switching	: Yes
File Transfer	: Yes
Video and Desktop Sync	: Yes
Lock Conference	: Yes
Android / iOS	: Yes
Remote Camera Control	: Yes
SMS Integration	: Yes (Supported)
Dual Display	: Yes
Video Mixer (upto 6 Active Camera / Video Input)	: Yes
Voting	: Yes
Video Layouts (Automatic)	: Yes
Roll Call	: Yes
Media File Sharing	: Yes
Banner / Title	: Yes
Conference Grouping	: Yes
Video Rotation	: Yes
Composite TV Wall	: Yes (Supported)
Next Generation MCU Splitting & Combining	: Yes (Supported)
Guest User	: Yes
H.323 Interconnected and H.239	: Yes
Built-in VoIP	: Yes (Supported)
Built-in SIP Gateway	: Yes (Supported)
Public & Private Chat	: Yes
Multiple Room Creations	: Yes
E-mail	: Yes
Hot Standby	: Yes (Supported)

Management

User Accounts Established at MCU	: Yes
Global Directory	: Yes
Presence Indication in Directory	: Yes vide UVC
Participant Name Display Option	: Yes
Call Detail Records	: Yes
Client Software Download	: Yes free for "n" downloads

Video

Native Video Codec	: H.264, H.264 VBR/CBR
Video Support	: Up to 1080p30
Cameras	: Standard USB webcams
Recommended	: PeopleLink i5 or other USB based PeopleLink PTZ Cameras.
Mic/Speaker	: Standard USB speakerphone with Echo Cancellation
Recommended	: PVC 50 Series

System Requirements:

Supported OS	: Windows all versions
Minimum Configuration	: Windows XP
	Dual Core / Core 2 Duo
	2 GB RAM
	80 GB free disk space (Standard Definition Video)
Recommended Configuration	: Windows XP,
	Intel i3, i5 or i7,
	2GB RAM
	80 GB free disk space (HD Video & above)

For more information visit www.peoplelinkvc.com

Warranty:
Support Level   : One-year Warranty with PeopleLink Advance Service Level.

Available Modules:
UTP Plus 640p   : 640p encode & 1440p decode
UTP Plus 720p   : 720p encode & 2160p decode
UTP Plus 1080p   : 1080p encode & 4080p decode

PeopleLink

GLOBAL HEADQUARTERS   Africa : +27 105001977
Q3-A3, 10th Floor, Cyber Towers, Hitech City,   Middle East : +973 161 99342 USA : +1 321 216 3070
Madhapur, Hyderabad - 500 081 (India)   UK : +44 203 514 3417
                                   Canada : +1 647 496 4195
Ph: +91 40 66903959 / 60   www.peoplelinkvc.com
E-mail: vc@peoplelinkvc.com

www.peoplelinkvc.com/social-presence

MARCOMMS/PUB/DS/1604